

Multiple Covalent Bonds

Ck12 Science

Say Thanks to the Authors
Click <http://www.ck12.org/saythanks>
(No sign in required)



To access a customizable version of this book, as well as other interactive content, visit www.ck12.org

AUTHOR
Ck12 Science

CK-12 Foundation is a non-profit organization with a mission to reduce the cost of textbook materials for the K-12 market both in the U.S. and worldwide. Using an open-source, collaborative, and web-based compilation model, CK-12 pioneers and promotes the creation and distribution of high-quality, adaptive online textbooks that can be mixed, modified and printed (i.e., the FlexBook® textbooks).

Copyright © 2016 CK-12 Foundation, www.ck12.org

The names “CK-12” and “CK12” and associated logos and the terms “**FlexBook®**” and “**FlexBook Platform®**” (collectively “CK-12 Marks”) are trademarks and service marks of CK-12 Foundation and are protected by federal, state, and international laws.

Any form of reproduction of this book in any format or medium, in whole or in sections must include the referral attribution link <http://www.ck12.org/saythanks> (placed in a visible location) in addition to the following terms.

Except as otherwise noted, all CK-12 Content (including CK-12 Curriculum Material) is made available to Users in accordance with the Creative Commons Attribution-Non-Commercial 3.0 Unported (CC BY-NC 3.0) License (<http://creativecommons.org/licenses/by-nc/3.0/>), as amended and updated by Creative Commons from time to time (the “CC License”), which is incorporated herein by this reference.

Complete terms can be found at <http://www.ck12.org/about/terms-of-use>.

Printed: September 26, 2016

flexbook
next generation textbooks




CHAPTER

1

Multiple Covalent Bonds

- Define double bond.
- Define triple bond.
- Draw Lewis electron dot structures for compounds containing double or triple bonds.



What do you do with your leftovers?

When working with covalent structures, it sometimes looks like you have leftover electrons. You apply the rules you learned so far and there are still some electrons hanging out there unattached. You can't just leave them there. So where do you put them?

Multiple Covalent Bonds

Some molecules are not able to satisfy the octet rule by making only single covalent bonds between the atoms. Consider the compound ethene, which has a molecular formula of C₂H₄. The carbon atoms are bonded together, with each carbon also being bonded to two hydrogen atoms.

$$\text{two C atoms} = 2 \times 4 = 8 \text{ valence electrons}$$

$$\text{four H atoms} = 4 \times 1 = 4 \text{ valence electrons}$$


total of 12 valence electrons in the molecule

If the Lewis electron dot structure was drawn with a single bond between the carbon atoms and with the octet rule followed, it would look like this:


This Lewis structure is incorrect because it contains a total of 14 electrons. However, the Lewis structure can be changed by eliminating the lone pairs on the carbon atoms and having the share two pairs instead of only one pair.

A **double covalent bond** is a covalent bond formed by atoms that share two pairs of electrons. The double covalent bond that occurs between the two carbon atoms in ethane can also be represented by a structural formula and with a molecular model as shown in [Figure 1.3](#).


A **triple covalent bond** is a covalent bond formed by atoms that share three pairs of electrons. The element nitrogen is a gas that composes the majority of Earth's atmosphere. A nitrogen atom has five valence electrons, which can be shown as one pair and three single electrons. When combining with another nitrogen atom to form a diatomic molecule, the three single electrons on each atom combine to form three shared pairs of electrons.

**FIGURE 1.1**


Incorrect dot structure of ethene.

**FIGURE 1.2**

Correct dot structure for ethene.


**FIGURE 1.3**

(A) The structural model for C_2H_4 consists of a double covalent bond between the two carbon atoms and single bonds to the hydrogen atoms. (B) Molecular model of C_2H_4 .

**FIGURE 1.4**

Triple bond in N_2 .

Each nitrogen atom follows the octet rule with one lone pair of electrons and six electrons that are shared between the atoms.



MEDIA

Click image to the left or use the URL below.

URL: <https://www.ck12.org/flx/render/embeddedobject/184767>

Summary

- Lewis structures can be drawn for molecules that share multiple pairs of electrons.

Review

1. Why is the first ethene Lewis structure incorrect?
2. What do the single electrons in nitrogen do to form a triple bond?
3. Draw the Lewis structure for ethyne C_2H_2 .

- **double covalent bond:** A covalent bond formed by atoms that share two pairs of electrons.
- **triple covalent bond:** A covalent bond formed by atoms that share three pairs of electrons.

References

1. CK-12 Foundation - Joy Sheng. .
2. CK-12 Foundation - Joy Sheng. .
3. CK-12 Foundation - Joy Sheng. .
4. Ben Mills (Wikimedia: Benjah-bmm27). (A) <http://commons.wikimedia.org/wiki/File:Ethylene-CRC-MW-dimensions-2D-Vector.svg>; (B) <http://commons.wikimedia.org/wiki/File:Ethylene-CRC-MW-3D-balls.png> .
5. CK-12 Foundation - Joy Sheng, using 3D molecular structure by Ben Mills (Wikimedia: Benjah-bmm27). Molecular structure: <http://commons.wikimedia.org/wiki/File:Nitrogen-3D-vdW.png> .